



BIOPLASTIC: PRODUCTION OF BIOPLASTIC FROM BANANA PEELS

**RIBADIYA P¹, UPADHAYAY D², MARCHAWALA F², BHATTACHARYA I² AND
ANDHARE P^{2*}**

1: Student, M.Sc. Microbiology, Parul Institute of Applied Sciences, Parul University, Post
Limda, Waghodia, Gujarat, 391760

2: Assistant Professor, Parul Institute of Applied Sciences, Parul University, Post Limda,
Waghodia, Gujarat, 391760

***Corresponding Author: E Mail: Dr. Prasad Andhare: prasad.andhare82145@paruluniversity.ac.in; Tel:
+918200614350**

Received 19th Jan. 2021; Revised 22nd Feb. 2021; Accepted 20th March 2021; Available online 1st April 2021

<https://doi.org/10.31032/IJBPAS/2021/10.4.1015>

ABSTRACT

Now a day's use of plastics can be generating damaging effects and the degradation of these plastic requires 500 years or sometimes it is more than it to decompose completely, releasing toxic elements in the environment. Thus, biodegradable plastic is turning into an inspiring result to solve all these issues which are facing now a day. By the study from banana peels, we can produce bioplastic could be acceptable to produce plastic and to show that the starch in the banana peel, which is used in place of the manufacture of the biodegradable plastic. Creation of bioplastic from banana peels in its place of traditional petroleum-based plastic is supposed to be an efficacious answer to raise the efficiency of the plastic industry. The result shows that the plastic which is manufacture from natural material is required half times more than petroleum plastic. Therefore, it can be used in the industry for different types of applications such as packaging.

Keywords: Plastic, Bioplastic, Banana peels, Biodegradation

INTRODUCTION

Environmental contamination is one of the main problems challenged on humanity and

further lifecycle for our earth now a day Plastic industry is considered as one of the

greatest significant industries which are producing polymer materials usually named as plastic and used to a variety of industries as well as wrapper, construction, etc. [1]. Plastic cause's environmental pollution because of non-biodegradable characteristic they are full of damage by creation and substances which are free throughout their disruption [2].

Therefore, the biodegradable plastic turns into a hopeful result to resolve this entire problem. The meaning bioplastic mentions either the bio-based origin of plastic to the biodegradable kinds of plastic. Plastics that are harvest from supportable sources (plants like corn, tapioca, potatoes, sugar, and algae) and which are completely or incompletely bio-based, and/or biodegradable or compostable are called bioplastics [3]. Bio-based and biodegradable are not identical and there for the word bioplastic is not clear. Like fossil-based plastic, bio-based plastic is obtainable in several marks with a huge variety of properties. Therefore, the potentials and limits of bio-based and biodegradable plastics will have communicated per kind and discussion of plastic [4].

Plastics are commonly second-hand for wrapping and other application since there are many advantages related to extra materials. Likewise, they are heat-stable, and also plastic is very relaxed to copy on

and offers the elasticity of formulating interested indifferent shapes [5].

The non-biodegradable and non-renewable character of plastics that consumes a major and thoughtful drawback to their submission important to a very big number of public wastelands and ecological deprivation is a shame or humiliation for humans now a day. Hard work in manufacturing inexpensive biodegradable resources is often unfulfilled by the difficult of discovering the ideal equilibrium among the automatic properties, price, and satisfactory level of biodegradability. Starch, which is a biodegradable natural polymer and manufactured at a appropriate little price, is stated to be unique of the greatest hopeful applicants for the fabrication of bioplastics [6]. The most significant possessions in bioplastic resources contain mechanical and thermoforming properties, gas and marine steam penetrability, transparency, and availability. Especially, around the tricky of production of price and mechanical challenges like fragility related from top to bottom loads and deprived water [7].

Types of bioplastic: -

Protein-based plastics: -From the different protein sources, we can produce a bioplastic, like wheat gluten and casein have a capable property as raw source for various biodegradable polymers. Soy protein used in manufactured plastic

because it is considered an extra foundation of bioplastic [8].

Starch-based plastic: -Starch-based bioplastic is frequently mixed through biodegradable polyesters to harvest starch/polylactic acid, and starch/polycaprolactone or starch/Ecofle (polybutylene adipate-terephthalate created by BASF) blends. Use these mixtures for industrial claims, furthermore for compostable. These mixtures have a very less amount of carbon impression than petroleum-based plastic, these plastics are not decomposable and it also uses for some application; it improves water-resistance as glowing as the processing and mechanical properties [9].

Cellulose-based plastics:- Cellulose bioplastic comprises the cellulose esters, and they are covering cellulose acetate and nitrocellulose and also their end product, as well as celluloid. Afterward adjustment cellulose converts thermoplastic. A sample of this is cellulose acetate, which is very high on the coast and therefore they are not very rummage-sale for wrapper. However, cellulosic fibbers additional to starched can recover mechanical properties, penetrability to vapour, and marine confrontation outstanding to being low hydrophilic than starch [10].

Lipid-derived polymers:- A number bioplastic class has been synthesized since vegetable and visceral resulting flabs and

lubricants. Polyurethanes, polyesters, epoxy resins, and many additional kinds of polymers have been manufacturing with similar possessions to crude oil-based material. With the expanding manufacture of old-style vegetable oils and little price microalgae resulting oils, there is vast potential for development in this part [11].

Some aliphatic polyester: -The aliphatic bio polyesters are classically polyhydroxyalkanoates (PHAs) like the poly-3-hydroxybutyrate (PHB), polyhydroxy valerate (phv), and polyhydroxyhexanoate (PHH).

Genetically modified bioplastics: - Now a day's Genetic modification (GM) isa very big encounter for the bioplastics manufacturing. Now a day's none of the available bioplastics – which can be well thought out as first-generation manufacturing - require the use of GM crops, although genetically modified slush is the normal feedstock [12].

Polyhydroxy urethanes: - Manufacturing bio-based and isocyanate-free polyurethanes has been of great importance. Polyamines and cyclic carbonates are cast-off for the manufacturing polyhydroxy urethanes [13].

Drawback of bioplastic: -

High Costs: - Costs of bioplastic are two times more than the predictable plastics [18].

Recycling Problems: - Bioplastic substances might pollute the recycling procedure if not detached from conservative plastics [14].

Reducing Fresh Resources: -Bioplastics manufacture from continuous sources might decrease raw material reserves [15].

Misunderstanding of Terms: - The explanation of bioplastics as compostable can be mystifying. All bioplastics are not compostable at Home like gradual nutrition excess but characteristically require an industrial composting action which is not obtainable at every composting site [16].

Challenges for Bioplastics:

Misconceptions: - Even still the biodegradable plastics are measured to be good for the environment; they can damage the wildlife in convincing ways. Production of greenhouse gases like methane and carbon dioxide, while they are breakdown, is very at landfill sites. Some bioplastics require exact conditions to biodegrade, these circumstances may not be obtainable at all the landfill or customers may not have excess in the direction of landfills, in such case, it turns out to be significant to design bioplastics that are recyclable in a normal soil compost[17].

Ecological Effect: - Starch-based bioplastics are manufactured usually from plants like corn, potatoes, and so on. This puts huge pressure on the crops as they have to provide the need of the ever-

growing population. These crops are often genetically modified to recover their confrontation to diseases, pests, insects, etc. [18].

Cost: - Bioplastics are not thus, comparable to plastics for the cost [19].

Applications:

Bioplastics are used in an extensive diversity of fields. Some of them are:

Packaging: - Now a day, bio wrapping can be finding out in numerous European supermarkets.

Bag: - Concerns over litter, the supposed unused of a single-use piece, and the organization of bio-waste have completed this unique the wildest growing sectors for bioplastics cutting-edge the early 21st century.

Wraps: - Bioplastics can be misshapen into a waterproof and fat-resistant film for a extensive assortment of wrapping and packing-like chess to breathe on the path to the customer. Flexible supplies with paper-like dead-fold features increase the submission range [20].

Horticulture and Agriculture:

The regularly characteristic property of biodegradable suggestions particular compensations in agriculture and horticulture.

Mulch film: - Bioplastics can be transformed into fully opaque or semi-transparent films that provide the perfect growing environment yet can be worked

into the ground after the growth cycle, provided that soil nutrition for upcoming seasons [21].

Tree protector and plant supports/stakes: - Bioplastics are actuality industrialized as an answer to forest litter, providing a guard that allows undeveloped trees to produce the best conceivable start. Horticulturalist now chooses bioplastics to make useful plant holders that are strong, water-resistant, in a choice of colors, and can decay naturally into biomass [22].

Personal care and Hygiene: - Toothbrushes, razor- like items are used by Maximum individuals. From bioplastics, it can be mass-produced. By matt finishing of the bioplastics, we confirm that the plastics razor has very good hold capacity and gives a smooth shave.

Electronics: - In 2009, the Japanese, multiplication NEC has effectively industrialized and implemented flame retardant bio-plastics that can be cast off in electronic devices in arrears to their high flame retardancy and procedure ability. NEC's new bioplastic is consequently one of the greatest ecologically approachable flame retardant plastics hand-me-down for covering electronic devices in the creation [23].

Automobiles: - Ford motor crop. Was the first automaker in the creation to practice bioplastics in the production of the auto partway back in the 1920s. At the time

Toyota motor crop is employed in the cover for the spare tire in the Arum, a new model that was a sale in May 2014. The bioplastic is made from plants, such as sweet potatoes and sugarcane polylactic acid (PLA) [24].

Food Packing: - There are three bioplastics consider as the main bioplastic, these are polylactide (PLA), starch, polyhydroxyalkanoates (PHA), and cellulose. For the package of tomato, and chocolate, Starch has been rummage-sale as another for polystyrene (PS) [25].

Now their study Peel man and co-workers appraisal three procedures, which might be used to recover the possessions of bioplastics, like coating and blending. With the help of Coating, we can reduce the oxygen and steam absorbent and it is similarly enhancing stretchable forte and consequence in an actual great elastic effect so, we are by means of a thin bio-based or non-bio-based layer of bioplastic which is known as a coating. Another is Blending for the manufacture of a better quality blend; cellulose and other bio-based substances are used blending as another method for food packing.

Construction: - At the University of Stuttgart (Germany) there is a The Institute of Building Structures bionics and the improvement of the novel structure resources and Mechanical Project was worked on fiber-reinforced polymers. Trendy the building manufacturing

Designer Carmen Köhler is learning the submission of fibre which is found from nature reinforced biopolymers. Polylactide, cellulose acetate, and supplementary resources are investing by the collection of research. There are some specific Selection criteria like charge, temperature dependability, and the possible usage of flavours through processing [26]. “Construction material is classified into B1 or B2,” it’s said Köhler who explanation that B1 and B2 mention to the gradation of flammability of materials [27].

DISCUSSION

Banana peels are selected for the manufacture of bioplastic owing to its composition because it having a starch and starch is composition of binary dissimilar type of polymer like amylose and amylopectin. Peels having physically, chemically, microbiologically, sensory valuation, statistically valuation, shelf life.

CONCLUSION

It can be concluded that the manufacture of the plastic through banana peels is successfully synthesized. As well as also the film can protect food from moisture, oxygen, and other dissolving substance. So, it can be safely used for food packaging.

Acknowledgement

It is our privilege and honour to express our sincerest gratitude to the Parul University, Vadodara, Gujarat for providing me all the necessary support and facilities including

state of the art infrastructural facilities with advanced technological scientific laboratories and everything else that was required to carry out this work.

REFERENCE

- [1] A.O. Gill & C.O. Gill, (2005) Preserve packing for meat, Poultry and finfish, in innovation in food packaging, Edited by Jung Han, pp. 204-226.
- [2] Nielsen, T. D., Hasselbalch, J., Holmberg, K., & Stripple, J. (2020). Politics and the plastic crisis: A review throughout the plastic life cycle. Wiley Interdisciplinary Reviews: Energy and Environment, 9(1), e360.
- [3] Kallis, G., Paulson, S., D'Alisa, G., & Demaria, F. (2020). The case for degrowth. John Wiley & Sons.
- [4] Kehrein, P., van Loosdrecht, M., Osseweijer, P., Garfi, M., Dewulf, J., & Posada, J. (2020). A critical review of resource recovery from municipal wastewater treatment plants—market supply potentials, technologies, and bottlenecks. Environmental Science: Water Research & Technology, 6(4), 877-910.
- [5] Weiland P.; Biogas production: current state and perspectives; (2010) Applied Microbiology and

- Biotechnology; Volume85, Issue 4, pp 849-860.
- [6] Rohini, C., Geetha, P. S., Vijayalakshmi, R., Mini, M. L., & Pasupathi, E. (2020). Global effects of food waste. *Journal of Pharmacognosy and Phytochemistry*, 9(2), 690-699.
- [7] Wedin, N. P. (2020). *Plastic Biotransformation Technologies: Development of a Novel Environmental QPCR Assay for Polyethylene Terephthalate Hydrolase, and Isolation/ Characterization of Polyethylene Degrading Fungi and Bacteria from Environmental Samples* (Doctoral dissertation, University of Minnesota).
- [8] Raubenheimer, D., & Simpson, S. (2020). *Eat Like the Animals: What Nature Teaches Us about the Science of Healthy Eating*. Houghton Mifflin.
- [9] Jeong, H. J., & Ko, Y. (2020). Analyzing the structure of bioplastic knowledge networks in the automotive industry. *International Journal of Technology Management*, 82(2), 132-150.
- [10] De Jo'ng, G. A. (2019). *Greenhouse gas life-cycle assessment of advanced liquid biofuel supply chains* (Master's thesis).
- [11] Murat, A. T. E. S., & Pinar, K. U. Z. (2020). Starch-based bioplastic materials for the packaging industry. *Journal of Sustainable Construction Materials and Technologies*, 5(1), 399-406.
- [12] Gerassimidou, S., Martin, O. V., Chapman, S. P., Hahladakis, J. N., & Iacovidou, E. (2020). Development of an integrated sustainability matrix to depict challenges and trade-offs of introducing bio-based plastics in the food packaging value chain. *Journal of Cleaner Production*, 125378.
- [13] Alkorta, I., Garbisu, C., Llama, M.J. and Serra, J.L. (1998). Industrial applications of pectic enzymes: a review. *Process Biochem* 33: 21-28.
- [14] Bassas-Galià, M. (2018). *Rediscovering Biopolymers. Consequences of Microbial Interactions with Hydrocarbons, Oils, and Lipids: Production of Fuels and Chemicals*, 529-550.
- [15] Lukkassen, D., & Meidell, A. (2003). *Advanced materials and structures and their fabrication processes*. Narvik University College, Hin.
- [16] Stevens, E. S. (2002). *Green plastics: an introduction to the new*

- science of biodegradable plastics. Princeton University Press.
- [17] Dunky, M. (2020). Wood Adhesives Based on Natural Resources: A Critical Review Part I. Protein -Based Adhesives. *Reviews of Adhesion and Adhesives*, 8(3), 199-332.
- [18] Meereboer, K. W., Misra, M., & Mohanty, A. K. (2020). Review of recent advances in the biodegradability of polyhydroxyalkanoate (PHA) bioplastics and their composites. *Green Chemistry*, 22(17), 5519-5558.
- [19] Al-Weshahy A., Rao V.A. (2012) Potato peel as a source of important phytochemical antioxidant nutraceuticals and their role in human health- A review. Available at: <http://www.intechopen.com/books/phytochemicals-as-nutraceuticalsglobal-approch-to-their-role-in-nutrition-and-health/potato-peels-a-source-of-important-phytochemical-antioxidant-nutraceuticals-and-their-role-in-human,23>.
- [20] Appendini, P. & Hotchkiss, J.H. (2002). Review of antimicrobial food packing, *Food Science and Emerging Technologies*, 3, 113-26.
- [21] Sillanpää, M., Ncibi, M. C., & Sillanpää, M. E. (2017). *Sustainable Bioeconomy*. Springer.
- [22] Chung, S.K. Cho SH, Lee DS. (1998). Modified atmosphere packaging of fresh strawberries by antimicrobial plastic films. *Korean J Food Sci Technol* 30(5), 1140-1145.
- [23] Patil, R. G. And Kolambe, B. N. (2011). Development of value-added product from Banana pseudostem. An Overview of Progress. National Agricultural Innovation Project (Component 2), 1-23 pp.
- [24] Blanco, I., Ingrao, C., & Siracusa, V. (2020). Life-Cycle Assessment in the Polymeric Sector: A Comprehensive Review of Application Experiences on the Italian Scale. *Polymers*, 12(6), 1212.
- [25] Price, S., Kuzhiumparambil, U., Pernice, M., & Ralph, P. J. (2020). Cyanobacterial Polyhydroxy-butyrate for Sustainable Bioplastic Production: Critical Review and Perspectives. *Journal of Environmental Chemical Engineering*, 104007.
- [26] Hearne, S. A. (2020). Other Things Visible on Paper: Architectural Writing and Imaging Craftsmanship,

1960-1987 (Doctoral dissertation, University of California, Los Angeles).

- [27] Mohamed, A. T. (Ed.). (2020). Design and Investment of High Voltage Nano Dielectrics. IGI Global.