



**International Journal of Biology, Pharmacy
and Allied Sciences (IJBPAS)**

'A Bridge Between Laboratory and Reader'

www.ijbpas.com

DESIGN AND MONITORING OF A WIRELESS SENSOR NETWORK BASED ENVIRONMENTAL SECURITY SYSTEM USING IOT

HUSSAIN.K^{1*}, ARUN M², KIRUBAKARAN M.K³, ARUN CHAKRAVARTHY R⁴,
SURESHKUMAR C⁵ AND VIKAS RAO VADI⁶

-
- 1: Associate Professor & Head, Department of Electrical Engineering, Sharad Institute of Technology College of Engineering, Yadrav (Ichalkaranji), Kolhapur, Maharashtra, India
 - 2: Associate Professor in Electronics and Communication Engineering at KGiSL Institute of Technology, Saravanampatti, Coimbatore, Tamil Nadu, India
 - 3: Associate Professor in Information Technology at St.Joseph's Institute of Technology, OMR, Chennai, Tamilnadu, India
 - 4: Associate Professor in Information Technology at KGisL Institute of Technology, Saravanampatti, Coimbatore, India
 - 5: Assistant Professor in Information Technology at KGisL Institute of Technology, Saravanampatti, Coimbatore, India
 - 6: Technical Training Society, Don Bosco Technical School, New Delhi-110025, India

*Corresponding Author: Hussain.K; E Mail: hussain16679@gmail.com

Received 22nd July 2021; Revised 25th Aug. 2021; Accepted 30th Sept. 2021; Available online 1st Nov. 2021

<https://doi.org/10.31032/IJBPAS/2021/10.11.1077>

ABSTRACT

This study found that utilizing a network of very affordable devices, the Internet of Things (IoT) may be successfully utilized to analyze and examine regular home conditions. The database analyzing technique creates supervision by advanced sensing gadgets communicating over the internet, and the connection techniques are presented. The above article describes a simple and adaptable property administration and monitoring device that can be controlled via a mobile application using only a network protocols beam and IP connection. Ambient

temperature, humidity detector, ammeter-based detectors, and air density detectors, as well as approved home control designs, are integrated to assure the program's performance. Internet - of - things, Elegant home, Cell device, Wireless networking are just a few of the terms that come to mind when thinking about the Internet of Things.

Keywords: IoT, Wireless sensor network, security, detectors, sensors; Environment

INTRODUCTION

The Internet of Things (IoT) facilitates the greatest market of online customers and technological advancements. Real things, transfer from computer to computer, and person to a computer are all types of artificial intelligence. Upcoming innovation that will be important IoT will be linked thanks to nanomaterials, miniaturization, and wireless networking (WSN). Natural conditions like air density, climates, lighting, and so on are typically interacted with by living creatures. If environmental factors can imply that interpersonal message is clear, there are lots of advantages [1]. The advanced intelligent gadgets network depending on the present demands of the inhabitants is referred to as the merging of living conditions. Environmental data is related to and provides a variety of options for an individual's behavior [2].

Related Work

Wireless connectivity or Smart Houses [3] are described as the introduction of technology into the home environment to provide inhabitants with security, simplicity,

convenience, and energy efficiency. Knowledge may help to surroundings that are solely for the elderly or handicapped, who may require attention or nursing homes to improve their standard of life [4]. Because smart handsets and pcs have grown more inexpensive and powerful, the amount of cell phone mechanizations has expanded dramatically as a result of the unique benefits they provide [5]. Particularly to the development of social Media of Information [6] has the implementation and research of automation systems have become more widespread. Together with Wi-Fi, RFID, Bluetooth, and smartphone connections, other wireless systems are commonly used to incorporate different degrees of consciousness in the house to ease data flow, detecting, measurement, and analyzing under specific forms [7].

Wireless transmission Bluetooth solutions needing internet connectivity have been demonstrated in tests utilizing Android Applications. As a result, such devices are connected directly to a Bluetooth post through the cell smartphone. However,

shipping cannot be controlled and it must only be controlled within the area, as per a limited number of methods [8]. The reliability and computing efficiency of housing entry points were also investigated, as well as telemonitoring for telemonitoring tools and networks. Created a Wi-Fi smart house system that uses a Microcontroller proxy server to control the connected household equipment. An open network, website link, and databases [9] too were created to connect technology to persons with impairments who may normally require caretakers or healthcare centers. Since intelligent technologies have grown more inexpensive and powerful, there appears to be a significant increase in automatic handset procedures, which also allows for large interconnections. Machine learning is becoming more common in implementation and creation with the introduction of the Internet - of - things [10]. For using several degrees of intelligence at home, various technology options are being used that could permit a specific form of information transfer, identification, and trackings, such as Wi-Fi, RFID, Wireless, and overall network.

There have been recent studies on Bluetooth-related intelligent home gadgets that require internet surveillance using Android cell devices. The goods are

necessary for the installation of incorporated Wireless belonging to a group to the Wireless sub-controller, which is thus available and controlled through the cellular telephone [11]. Moreover, due to its limited range of uses, the system was unable to handle over movement and must be managed in the vicinity (max. 100 meters). Manufacturers, on the other hand, have aimed for precision, computational interoperability, and network administration via house portals to control hardware and devices [12]. Created a Wi-Fi home management network that uses a VPN connection on a Computer to control connected house appliances. Unique approaches are being proposed, such as connecting to other Web and managing it through a specialized pc, program, and home screen. These gadgets have two disadvantages [13]. To begin, an overhead computer system was utilized, which increased not just expenses but also resource consumption. Following that, internet apps are created, as well as hosting and costing. GSM-based connection and supervision have also been shown to discriminate between two commands for smartphones directed at the home device [14]. Another drawback of this method appears to have that customers do not have access to application software and must learn many AT commands to run the

management system [15-16]. Including no greater relevance and confirming protection and functioning, the Route Optimization aspect is named and probable applications in Smart Infrastructure.

Proposed System

The request is used to create an autonomous, interactive, innovative, and very affordable home surveillance and surveillance network. In furthermore, managed internet services have been established and built as a linked connectivity guideline to address the aforementioned scalable and maintenance problems. A Wired micro Search engine and semiconductors capability parts, as well as a Smartphone Application, integrated user, are included in the bundle. When a device is launched to the Open Web, a current self dedicated towards the device is generated at random from across technology platforms, enabling the facilities stated in the editorial to be altered in several ways to achieve numerous engineering circumstances with minimal encoding and restructure. As a response, expensive innovations, like slightly raised minicomputers, would not be included in the proposed work. That mobile platform makes use of a graphical user interface (GUI) element for collecting and watching

household equipment through the internet in the actual moment.

Proposed Clustering

The above chapter has spoken about the recommended organization and execution of a flexible and cheap lease performance and organizational system. The recommended internet infrastructure currently has 3 stages: work conditions, home point of entry, and global surroundings. Movable Environments identities are for users that use the systems via Smart Smartphone software and the Internet more than a 3G/4G or Wi-Fi network. The Interior Framework involves an inbuilt incorporated element. The major goal of the proposed design and architecture Portal is to provide information processors for the whole World Wide Web. This principle product's entrance is a wired micro Web address. The major role of the customer is to oversee, control, and manage the hardware features that allow the customer, in particular true, to fulfill their work obligations using sensors and interact with the internet. Digital connection devices are linked to sensor devices via wired connectivity. It can control energy performance such as lights, electrical parts, and heating, ventilation, and air conditioners. The rule supports readings such as

temperature, wetness, air density, and electrical to supervise the living space.

A suggested technology is depicted in **Figure 1**. For usability, we use a cellphone, such as an Android mobile. The therapy substantially customer interaction is ZigBee& Internet module. The customer can manage all ZigBee stations by using a cellphone to manage all ZigBee and Wireless groups. We developed the Wireless communications and added a detector to turn it into a ZigBee station. The ZigBee network connection is made up of several ZigBee nodes. **Figure 2** illustrates a schematic diagram of the entire system. Throughout the Micro Controller, the smartphone delivers a list of orders to ZigBee. Using Wireless, those ZigBee units will send information to the smartphone application. Temperatures and Moisture Interface. The ARM Cortex M0 panel's exercise capacity increased level. The information is

displayed on the user experience. As illustrated in **Figure 2**, the home goods include a TMP102 sensor module, Honeywell's HIH-4030 temperature monitoring, and a BMP 085 force gauge. The sensors are connected to software systems and that will reflect the cabin's meteorological variables, as well as reveal the network device visible across both the ARM Cortex M3 and the cellphone.

Inside this work, we use a phone or tablet as a temperature and relative moisture node.

Throughout the entire whole essay, a detector unit was utilized as a temperature and humidity node. Thermometer TMP102, Honeywell thermostat HIH 4030, and temperature monitoring BMP 085 are all included in the ARM Cortex M0. Degrees, ambient wetness, and atmospheric pressures are all monitored by the sensors.




Figure 1: Architecture of Network Connections




Figure 2: Measurement of temperature and humidity in a cloud network connection

TMP102 is the circuit-producing detecting, which would be offered in a tiny SOT563 package with the adaptability of two wires interfaces that may not need any additional components. The TMP102 allows temperatures and force to be measured to an accuracy of 0.0625°C $\$$ 0.1 Bar. Even being deployed is the SMB alert method. TMP102 is ideal for measuring temperature in a variety of applications, including technology, customers, networking, industries, the environment, and diagnosis. The detector may specify performances across -40°C and 125°C . The HIH-4030 is an analog voltage-output moisture detector. The smartphone's output can be directly connected to a microcontroller's Analog to Digital

Converter, data transfer handling a snap. The providing ports will receive a voltage from between 4-5.8VDC, with 5V being optimal. The gadget can only handle approximately 200A. That includes the HIH-4030 or the other Arduino microcontroller loaded.

RESULTS

The mbed Designer is just a pre-programmed digital C/C++ IDE that lets you quickly design, publish, test, and perform operations for your mbed Microcontroller. You shouldn't need to download or configure anything to get begun with mbed. Because it's a software program, you can log in from nearly everywhere start up where you left off, whether you're utilizing Windows, Mac,

iOS, Blackberry, Unix, or another technology.

CONCLUSION

Given technical advancements, access to the network is expected to be available anywhere and at any time. This article suggests and executes a unique technique for a restricted and adjustable home monitoring and protection application on an Android mobile. In a routing protocol, facilities are utilized as a pervasive upper layer to interact among remote clients and/or intelligent equipment. Because of the features of durability, simplicity of execution, and low energy usage of ports and modems, IoT has allowed pervasive computational power to seamlessly interconnect mismatched electronic smartphones and boost performance measures anywhere. The basic idea behind the proposed technique is to provide a reduced answer with configurable units that combine Iot applications with security equipment. The advantages of this technology include more management of routing algorithms and the capacity to adjust to various Iot networks. A Zigbee-based network adapter among a private computer and a domestic partner, and also the usage of speech recognition to control the programme, are possible advancements. Analyzing a

particular may have been used to minimize space demands and enhance data handling.

REFERENCES

- [1] Du, S., Bhattacharya, C. B., & Sen, S. (2010). Maximizing business returns to corporate social responsibility (CSR): The role of CSR communication. *International journal of management reviews*, 12(1), 8-19.
- [2] Matsuoka, R. H., & Kaplan, R. (2008). People needs in the urban landscape: analysis of landscape and urban planning contributions. *Landscape and urban planning*, 84(1), 7-19.
- [3] Abidin, S., Dhariwal, M. K., Rane, K. P., Sivakumar, G., Babu, D. V., & Kumar, I. R. (2021). Development And Organize Of Wireless Sensor Network In Home Management Using Iot. *Development*, 12(02).
- [4] Dr. P. Sivakumar, "Analytical framework to build predictive and optimization function from manufacturing industry sensor data using cross-sectional sharing", Big Data, 2021 (SCI)
- [5] Dr. P. Sivakumar, "Improved Resource management and utilization based on a fog-cloud computing system with IoT incorporated with Classifier systems", Microprocessors and Microsystems, Jan 2021 (SCI).
- [6] Ranjeeth, S., Latchoumi, T. P., & Paul, P. V. (2020). Role of gender on academic performance based on different

- parameters: Data from secondary school education. *Data in brief*, 29, 105257.
- [7] Venkata Pavan, M., Karnan, B., & Latchoumi, T. P. (2021). PLA-Cu reinforced composite filament: Preparation and flexural property printed at different machining conditions. *Advanced Composite Materials*, <https://doi.org/10.1080/09243046.2021.1918608>.
- [8] Marku, Z. (2021). Study of the Security Challenges for Industry 4.0.
- [9] Baum, L. S. (2004). Internet parent support groups for primary caregivers of a child with special health care needs. *Pediatric nursing*, 30(5).
- [10] Hopwood, J., Walker, N., McDonagh, L., Rait, G., Walters, K., Iliffe, S., & Davies, N. (2018). Internet-based interventions aimed at supporting family caregivers of people with dementia: systematic review. *Journal of medical Internet research*, 20(6), e9548.
- [11] Kim, H. (2015). Understanding Internet use among dementia caregivers: results of secondary data analysis using the US caregiver survey data. *Interactive journal of medical research*, 4(1), e3127.
- [12] Aazam, M., Zeadally, S., & Harras, K. A. (2018). Offloading in fog computing for IoT: Review, enabling technologies, and research opportunities. *Future Generation Computer Systems*, 87, 278-289.
- [13] Mahbub, M. (2020). Progressive researches on IoT security: An exhaustive analysis from the perspective of protocols, vulnerabilities, and preemptive architectonics. *Journal of Network and Computer Applications*, 102761.
- [14] Downs, J. S., Holbrook, M. B., & Cranor, L. F. (2006, July). Decision strategies and susceptibility to phishing. In *Proceedings of the second symposium on Usable privacy and security* (pp. 79-90).
- [15] Rivest, R. L., Adleman, L., & Dertouzos, M. L. (1978). On data banks and privacy homomorphisms. *Foundations of secure computation*, 4(11), 169-180.
- [16] Davenport, T. H., Harris, J. G., & Kohli, A. K. (2001). How do they know their customers so well?. *MIT Sloan Management Review*, 42(2), 63.